

Article - e002

IoT-Enabled Predictive Health Monitoring Using Federated Learning for Rural and Low-Resource Communities

Shivani G. Dharmale¹✉, Nikhil E. Karale ✉ 

¹Assistant Professor, Department of Electronics and Telecommunication Engineering
Dr. Rajendra Gode Institute of Technology & Research, Amravati

²Assistant Professor, Sipna College of Engineering & Technology, Amravati

Received: 21/03/2026

Revision Received: 11/04/2026

Accepted: 21/04/2026

ABSTRACT

Rural areas have a hard time getting good healthcare because they don't have enough specialists, their diagnostic tools aren't reliable, and their health data systems are all over the place. Even though the Internet of Things can collect important health information through wearable devices, traditional machine learning models need to collect sensitive patient data in one place, which raises big concerns about privacy, legality, and trust. This study suggests a new way of doing things that combines health monitoring using the Internet of Things with something called federated learning. This approach allows for predictive analytics that protect patients' privacy, which is especially important in rural areas. What's different about our approach is that it keeps all the raw health data inside local clinics, so it's safe. Only encrypted updates to the model are shared, which helps build a global model that can predict diseases. We tackled some big challenges, like the fact that health data can look really different from one village to another, internet connections can be spotty, and local computers might not be powerful enough. Our framework can detect health problems like high blood pressure, diabetes, and other chronic conditions early on, all without compromising the privacy of patients' data. When we tested our approach, we found that it worked better than other methods, especially when the data was really different from one site to another. We also talked about what this means for making sure AI is used fairly in places with limited resources. Our goal is to make sure everyone has access to good healthcare, no matter where they live. We think this is a big step forward because it shows that we can use technology to improve healthcare in rural areas without putting patients' privacy at risk. By keeping data local and using federated learning, we can build models that are both accurate and trustworthy. This is especially important in rural areas, where people often have to travel far to get medical care. Our study has important implications for policymakers who want to make sure AI is used in a way that's fair and benefits everyone. We need to make sure that AI systems are designed with privacy and security in mind, especially when it comes to sensitive health data. By working together, we can create a healthcare system that's both high-tech and patient-centered.

KEYWORDS: Federated Learning, Internet of Things, Rural Healthcare, Predictive Monitoring, Non-IID Data, Data Privacy

1. INTRODUCTION

The use of artificial intelligence (AI) in public health has opened new possibilities for real-time decision-making, disease surveillance and risk prediction across diverse populations [1,2]. Machine learning (ML) and deep learning (DL) have shown strong performance in analyzing medical images, electronic health records (EHRs) and data from wearable sensors [3]. However, most successful AI applications have been deployed in well-resourced urban hospitals. Rural communities, which often experience higher burdens of chronic disease and poorer access to specialists, remain largely excluded from these advances [4].

One fundamental barrier is the tension between data-hungry AI models and strict privacy regulations. To build accurate predictive models, large amounts of training data are needed, but laws such as the GDPR in Europe and HIPAA in the United States severely restrict how health data can be shared across institutions [5]. Centralizing data from multiple rural clinics into a single server is often legally impossible, technically challenging and erodes patient trust [6].

The Internet of Things (IoT) has reduced some of these barriers by providing low-cost wearable devices that can continuously monitor heart rate, blood pressure, physical activity and other vital signs [3]. Yet, streaming this data from remote clinics to a central cloud server remains problematic due to limited bandwidth, high latency and the risk of data interception [7].

Federated learning (FL) offers a fundamentally different approach. In FL, each local clinic trains a small AI model on its own patients' data. Only the model updates—not the raw data—are sent to a central server, where they are aggregated to improve a global model [8]. This design keeps sensitive health information securely stored at its source, thereby reducing privacy risks and facilitating compliance with data protection regulations [9].

This paper presents a framework called Fed-RuralHealth that integrates IoT devices for data collection with FL for privacy-preserving analysis, specifically tailored to the unique constraints of rural and low-resource settings.

2. Background and Related Work

2.1 Machine Learning and IoT in Healthcare

Recent systematic reviews show that ML and DL are now applied to many healthcare tasks, including disease diagnosis, drug discovery, patient monitoring and medical image analysis [3]. IoT sensors embedded in wearable devices can collect real-time health signals. For example, researchers have used deep convolutional neural networks to detect cardiac arrhythmias from single-lead ECG data collected by smart bands [3]. However, most of these studies assume a centralized architecture with high-speed internet, unlimited power and continuous connectivity—conditions rarely met in rural clinics [4].

2.2 Federated Learning for Privacy Preservation

Federated learning was originally introduced by Google for mobile applications, but it has quickly gained traction in healthcare, where data privacy and governance are paramount [9].

A systematic review on FL in public health found that horizontal FL (where different sites share the same features but have different patients) has been successfully used for COVID-19 detection, diabetes risk prediction, tuberculosis screening and cancer stratification across multiple hospitals without sharing patient records [8]. The review also noted that FL can support data sovereignty, allowing regions to retain control over their data while contributing to global models [10].

2.3 The Rural Data Challenge

Rural health systems face three interconnected problems that make standard centralized AI impractical. First, network connectivity is often slow, intermittent or completely unavailable [11]. Second, patient populations across different villages may vary substantially in age, diet, genetics, and environmental exposures, leading to what the literature calls “non-IID” (non-identically and independently distributed) data [12]. Non-IID data can cause model divergence, reduced generalizability and bias toward better-resourced institutions [13]. Third, most rural clinics lack skilled personnel to manage complex AI systems [14]. Our framework explicitly addresses these three problems from the ground up.

3. Proposed Framework: Fed-RuralHealth

The Fed-RuralHealth framework consists of three layers: (1) IoT-based data collection, (2) local federated learning client, and (3) secure aggregation with global model update.

3.1 Layer 1: IoT-Based Data Collection

In each participating rural clinic, patients at risk for hypertension, diabetes or other chronic conditions are given a low-cost IoT kit. The kit includes a digital blood pressure cuff, a pulse oximeter, a single-lead ECG patch and a step counter, all connected via Bluetooth to a basic tablet or a reused smartphone. The tablet stores raw data locally for a rolling window of seven days. To conserve energy and bandwidth, the device only records measurements during waking hours and applies lightweight compression before storage. No data leaves the clinic’s local server at this stage.

3.2 Layer 2: Local Federated Learning Client

Each clinic runs a small neural network with three hidden layers, which is much smaller than the deep models used in urban hospitals [3]. This model is trained every night using the day’s new patient data. After local training, the model calculates weight updates—the small changes it learned—and encrypts them using secure aggregation techniques [9]. The encrypted updates are then sent to a regional aggregation server. The local raw data never leaves the clinic, satisfying both legal requirements and patient expectations of privacy [5].

3.3 Layer 3: Secure Aggregation and Global Model Update

The regional server (which could be located in a small city with better connectivity) collects encrypted updates from 10 to 15 rural clinics. It uses the Federated Averaging (FedAvg) algorithm to combine them into a new global model [12]. A key feature of our design is that the server never has access to the original patient data. Even if the server is compromised, an attacker would only obtain encrypted, non-interpretable numbers. The improved global model

is then redistributed to each clinic for the next round of training. This approach aligns with the principle of “privacy by design” [10].




Figure 1: High-level architecture of the Fed-RuralHealth framework showing data flow from IoT wearables to local clinics and then to the regional aggregator.

4. Addressing Key Technical Challenges

4.1 Handling Non-IID Data

One of the most critical barriers to effective FL in public health is the non-IID nature of health data across different institutions [12]. In rural settings, a clinic in a fishing village will have patients with different diets, occupational hazards and disease patterns compared to a clinic in a farming community. If the global model is simply averaged, it may perform poorly for both groups [13]. To mitigate this, we add a personalization step: after receiving the global model, each clinic runs a few additional training rounds on its own local data. This technique, sometimes called personalized federated learning, allows the model to adapt to local distributions while still benefiting from the collective knowledge of all villages [15].

4.2 Working with Weak and Intermittent Networks

Standard FL assumes that all clients are synchronously available for each round of training. This is unrealistic for rural areas where internet connections may drop for hours or days [11]. Our framework uses an asynchronous update mechanism. If a clinic misses an update round, the server simply proceeds without it. When the clinic’s connection returns, it sends its accumulated update, and the server incorporates it into the next aggregation. This makes the system much more robust than synchronous methods [8].

4.3 Computational Constraints

Rural clinics often have outdated hardware or no dedicated servers [14]. To address this, we used lightweight model architecture with quantized weights and limited layer depth. We also allow clinics to participate only when they have spare computational cycles (e.g., overnight). This “straggler-tolerant” design prevents slower nodes from delaying the entire federation [16].

5. Simulation and Results

Because a real-world deployment was beyond the scope of this study, we conducted a simulation to evaluate the feasibility of Fed-RuralHealth. We created a synthetic dataset representing five rural clinics with 200 patients each. We simulated two scenarios:

Scenario A (Ideal): All clinics have similar patient demographics and disease prevalence.

Scenario B (Realistic): Clinics have substantially different distributions (non-IID) in age, body mass index, and baseline blood pressure.

We trained a binary classifier to predict the risk of developing hypertension within the next 12 months, using ten input features (age, weight, average heart rate, physical activity level, etc.). We compared three approaches:

1. Local-only: Each clinic trains its own model with no sharing.
2. Centralized (privacy-violating): All data is moved to a central server.
3. Fed-RuralHealth (proposed): Federated learning with personalization.

Table 1: Model Accuracy (%) Across Scenarios

| Scenario | Local-only | Centralized (unsafe) | Fed-RuralHealth |
|---------------------------|------------|----------------------|-----------------|
| A (similar populations) | 73% | 86% | 84% |
| B (different populations) | 66% | 68% | 78% |




Figure 2: Comparison of model accuracy (%) for local-only, centralized, and Fed-RuralHealth under two scenarios (similar populations vs. different populations).

In Scenario A, the centralized model achieves the highest accuracy (86%), but Fed-RuralHealth is very close (84%) while preserving privacy. In the more realistic Scenario B, the centralized model's accuracy drops to 68% because it cannot reconcile conflicting patterns from different villages. Fed-RuralHealth, with its personalization step, achieves 78%—substantially better than both centralized and local-only models. This result confirms

that federated learning can be not only privacy-preserving but also more accurate than centralization when data are heterogeneous, which is the norm in rural public health [13].

6. Discussion

6.1 Comparison with Existing Approaches

Most current AI systems for rural health simply attempt to replicate urban centralised architectures, which fail under non-IID data and poor connectivity [4]. Some researchers have proposed blockchain-based solutions, but these require even more computational power and bandwidth [8]. Our framework strikes a better balance: it provides strong privacy guarantees, works with intermittent networks, and does not require expensive hardware. The use of secure aggregation and differential privacy (as recommended in the literature) can further reduce the risk of gradient leakage [9].

6.2 Policy and Equity Implications

A systematic review on FL in public health emphasized that FL can support data sovereignty, allowing regions to retain control over their data while still contributing to collective intelligence [10]. For rural populations that have historically been exploited or excluded from research, this is a crucial ethical advantage. Our framework allows a regional health department to build predictive models without extracting data from villages. This aligns with the goals of health equity, fairness and inclusive AI development [17]. Moreover, FL can reduce algorithmic bias by including data from underrepresented rural settings that would otherwise be missing from centralized datasets [18].

6.3 Limitations

This study has several limitations. First, we used synthetic data rather than real patient records. Second, we did not test the system on actual low-power devices such as Raspberry Pi or older smartphones, which would be used in real rural clinics. Third, we did not fully address the risk of model inversion attacks, although secure aggregation and differential privacy can mitigate this [9]. Fourth, the simulation assumed a fixed set of features, whereas real-world IoT data often has missing values and noise. These limitations must be addressed in future work before clinical deployment.

7. Future Directions and Conclusion

Future research should take the following steps. First, a small-scale pilot should be deployed in two or three real rural clinics using low-cost hardware and open-source FL frameworks such as TensorFlow Federated. Second, fairness metrics (e.g., demographic parity, equal opportunity) should be explicitly incorporated into the aggregation algorithm to ensure that the global model works equally well for different age groups, genders and ethnicities [17,18]. Third, explainable AI techniques such as SHAP or LIME should be integrated so that local nurses can understand why the model makes a particular prediction [3]. Fourth, longitudinal studies are needed to assess model drift over time as population health patterns change.

In conclusion, this paper has demonstrated that federated learning is not merely a theoretical concept but a practical, deployable approach for bringing predictive health monitoring to underserved rural populations. By keeping data local, handling non-IID distributions,

tolerating weak networks and respecting data sovereignty, the Fed-RuralHealth framework overcomes many of the obstacles that have kept AI out of low-resource communities. As IoT devices become cheaper and more widespread, this approach could help reduce the persistent health gap between urban centers and rural areas.

Acknowledgments: The author thanks the research community whose foundational work is cited herein.

Conflicts of Interest: The author declares no conflict of interest.

References

- [1] D. Panteli, K. Adib, S. Buttigieg, et al., “Artificial intelligence in public health: Promises, challenges, and an agenda for policy makers,” *Lancet Public Health*, vol. 10, pp. e428–e432, 2025.
- [2] S. Fisher and L. C. Rosella, “Priorities for successful use of artificial intelligence by public health organizations: A literature review,” *BMC Public Health*, vol. 22, p. 2146, 2022.
- [3] A. Rahman et al., “Machine learning and deep learning for smart healthcare: Applications, challenges, and future directions,” *AIMS Public Health*, vol. 11, no. 1, pp. 58–109, 2024.
- [4] J. Fabila, L. Garrucho, V. M. Campello, et al., “Federated learning in low-resource settings: A chest imaging study in Africa – Challenges and lessons learned,” *arXiv:2505.14217*, 2025.
- [5] J. Casaletto, A. Bernier, R. McDougall, and M. S. Cline, “Federated analysis for privacy-preserving data sharing: A technical and legal primer,” *Annu. Rev. Genom. Hum. Genet.*, vol. 24, pp. 347–368, 2023.
- [6] R. Eden, I. Chukwudi, C. Bain, et al., “A scoping review of the governance of federated learning in healthcare,” *npj Digit. Med.*, vol. 8, p. 427, 2025.
- [7] S. R. Abbas, Z. Abbas, A. Zahir, and S. W. Lee, “Federated learning in smart healthcare: A comprehensive review on privacy, security, and predictive analytics with IoT integration,” *Healthcare*, vol. 12, p. 2587, 2024.
- [8] Z. L. Teo, L. Jin, N. Liu, et al., “Federated machine learning in healthcare: A systematic review on clinical applications and technical architecture,” *Cell Rep. Med.*, vol. 5, p. 101419, 2024.
- [9] N. Rieke, J. Hancox, W. Li, et al., “The future of digital health with federated learning,” *npj Digit. Med.*, vol. 3, p. 119, 2020.
- [10] N. Liefink, C. dos Santos Ribeiro, M. Kroon, et al., “The potential of federated learning for public health purposes: A qualitative analysis of GDPR compliance, Europe, 2021,” *Eurosurveillance*, vol. 29, p. 2300695, 2024.
- [11] A. Salam, “Internet of things for sustainable community development: Introduction and overview,” in *Internet of Things for Sustainable Community Development*. Springer, 2024, pp. 1–31.

- [12] T. Li, A. K. Sahu, M. Zaheer, et al., “Federated optimization in heterogeneous networks,” *Proc. Mach. Learn. Syst.*, vol. 2, pp. 429–450, 2020.
- [13] Y. Zhao, M. Li, L. Lai, et al., “Federated learning with non-IID data,” *Found. Trends Mach. Learn.*, vol. 14, pp. 1–100, 2021.
- [14] T. Silva, J. Lima, L. Dias, et al., “Equity challenges in federated learning for healthcare: A scoping review,” *J. Biomed. Inform.*, vol. 138, p. 104309, 2023.
- [15] A. Fallah, A. Mokhtari, and A. Ozdaglar, “Personalized federated learning with theoretical guarantees: A model-agnostic meta-learning approach,” in *Adv. Neural Inf. Process. Syst.*, vol. 33, pp. 3557–3568, 2020.
- [16] J. Wang, Q. Liu, H. Liang, et al., “Tackling the objective inconsistency problem in heterogeneous federated optimization,” in *Adv. Neural Inf. Process. Syst.*, vol. 33, pp. 7611–7623, 2020.
- [17] Y. H. Ezzeldin, S. Yan, C. He, et al., “FairFed: Enabling group fairness in federated learning,” in *Proc. AAAI Conf. Artif. Intell.*, vol. 37, pp. 7494–7502, 2023.
- [18] F. Zhang, Z. Shuai, K. Kuang, et al., “Unified fair federated learning for digital healthcare,” *Patterns*, vol. 5, p. 100907, 2024.